

Jiangsu Minsheng Heavy Industry Co.,Ltd

Add: No.99,Fuyang rda,Jingjiang City, Jiangsu Province. Post code:214500

itsapp/Wechat/Tel: 0086-18936812998 Email:msgascylinder@gmail.com Website : www.msgascylinder.

PSA Oxygen generator 8Nm³/h with 90-93% purity

Attn:

Terms of payment: 50% deposit by TT with order, 50% balance before shipping

Delivery time: 7-15days after deposit received

SN	Item Name	Model Number	Quantity
1. Air Purification System	air compressor	22KW	1 Set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
	5-Grade Filters(C/T/A/D/D) Residual Oil Content: <0.001 ppm Dust Particles: <0.01 micrometers	XF9/7/5/3/1-24	5 Sets
	Refrigerated Dryer	HB0020	1set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
2. PSA Oxygen Generating System	PSA Oxygen Generator O2 Purity: 93%±3% O2 Flow:8Nm ³ /h Discharge Pressure: 5 bar	HBFO93-8	1 Set
	O2 Tank Design pressure: 8 bar	0.8Mpa	1 Set
3. Oxygen booster	dust filter	HF24	1 set
	O2 booster oxygen pressure from 5bar to 150bar	8/5-150	2set
	O2 filling and discharging	HB	1set
Total			

Brief Description of the System

Serial No.	Name	Index	Remarks
1	flow rate of outlet oxygen	≥8Nm ³ /h	20°C 101.325kPa
2	Outlet oxygen purity	93±3%	digital
3	Outlet oxygen pressure	150bar	on-line
4	dew point	≤-40°C	Atmospheric dew
5	rated power	0.1KW	oxygen
6	air oxygen ratio	15: 1	15m ³ air

Jiangsu Minsheng Heavy Industry Co.,Ltd

Add: No.99,Fuyang rda,Jingjiang City, Jiangsu Province. Post code:214500
app/Wechat/Tel: 0086-18936812998 Email:msgascylinder@gmail.com Website : www.msgascylinder.com

PSA Oxygen generator 10Nm³/h with 90-93% purity

Attn:

Terms of payment: 50% deposit by TT with order, 50% balance before shipping

Delivery time: 7-15days after deposit received

SN	Item Name	Model Number	Quantity
1. Air Purification System	air compressor	30KW	1 Set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
	5-Grade Filters(C/T/A/D/D) Residual Oil Content: <0.001 ppm Dust Particles: <0.01 micrometers	XF9/7/5/3/1-24	5 Sets
	Refrigerated Dryer	HB0020	1set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
2. PSA Oxygen Generating System	PSA Oxygen Generator O2 Purity: 93%±3% O2 Flow:10Nm ³ /h Discharge Pressure: 5 bar	HBFO93-10	1 Set
	O2 Tank Design pressure: 8 bar	0.8Mpa	1 Set
3. Oxygen booster	dust filter	HF24	1 set
	O2 booster oxygen pressure from 5bar to 150bar	10/5-150	3set
	O2 filling and discharging	HB	1set
4.Container	1 Set		
Total			

Brief Description of the System

Serial No.	Name	Index	Remarks
1	flow rate of outlet oxygen	≥10Nm ³ /h	20°C 101.325kP
2	Outlet oxygen purity	93±3%	digital
3	Outlet oxygen pressure	150bar	on-line
4	dew point	≤-40°C	Atmospheric dew point
5	rated power	0.1KW	oxygen
6	air oxygen ratio	15: 1	15m ³ air

Jiangsu Minsheng Heavy Industry Co.,Ltd

Add: No.99,Fuyang rda,Jingjiang City, Jiangsu Province. Post code:214500

Whatsapp/Wechat/Tel: 0086-18936812998 Email:msgascylinder@gmail.com

PSA Oxygen generator 10Nm³/h with 90-93% purity

Attn:

Terms of payment: 50% deposit by TT with order, 50% balance before shipping

Delivery time: 20days after deposit received

SN	Item Name	Model Number	Quantity
1. Air Purification System	air compressor	22KW	1 Set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
	5-Grade Filters(C/T/A/D/D) Residual Oil Content: <0.001 ppm Dust Particles: <0.01 micrometers	XF9/7/5/3/1-24	5 Sets
	Refrigerated Dryer	HB0020	1set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
2. PSA Oxygen Generating System	PSA Oxygen Generator O ₂ Purity: 93%±3% O ₂ Flow:10Nm ³ /h Discharge Pressure: 5 bar	HBFO93-10	1 Set
	O ₂ Tank Design pressure: 8 bar	0.8Mpa	1 Set
3. Oxygen booster	dust filter	HF24	1 set
	O ₂ booster oxygen pressure from 5bar to 150bar	10/5-150	1set
	O ₂ filling and discharging	HB	1set
4.Container	1 Set		
Total			

Brief Description of the System

Serial No.	Name	Index	Remarks
1	flow rate of outlet oxygen	≥10Nm ³ /h	20°C 101.325kP
2	Outlet oxygen purity	93±3%	digital
3	Outlet oxygen pressure	150bar	on-line
4	dew point	≤-40°C	Atmospheric dew
5	rated power	0.1KW	oxygen
6	air oxygen ratio	15: 1	15m ³ air

Jiangsu Minsheng Heavy Industry Co.,Ltd

Add: No.99,Fuyang rda,Jingjiang City, Jiangsu Province. Post code:214500
Whatsapp/Wechat/Tel: 0086-18936812998 Email:msgascylinder@gmail.com

PSA Oxygen generator 20Nm³/h with 90-93% purity

Attn:

Terms of payment: 50% deposit by TT with order, 50% balance before shipping

Delivery time: 20days after deposit received

SN	Item Name	Model Number	Quantity
1. Air Purification System	air compressor	37KW	1 Set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
	5-Grade Filters(C/T/A/D/D) Residual Oil Content: <0.001 ppm Dust Particles: <0.01 micrometers	XF9/7/5/3/1-32	5 Sets
	Refrigerated Dryer	HB0060	1set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
2. PSA Oxygen Generating System	PSA Oxygen Generator O2 Purity: 93%±3% O2 Flow:20Nm ³ /h Discharge Pressure: 5 bar	HBFO93-20	1 Set
	O2 Tank Design pressure: 8 bar	0.8Mpa	1 Set
3. Oxygen booster	dust filter	HF32	1 set
	O2 booster oxygen pressure from 5bar to 150bar	20/5-150	1set
	O2 filling and discharging	HB	1set
4.Container	1 Set		
Total			

Brief Description of the System

Serial No.	Name	Index	Remarks
1	flow rate of outlet oxygen	≥20Nm ³ /h	20°C .101.325kP
2	Outlet oxygen purity	93±3%	digital
3	Outlet oxygen pressure	150bar	on-line
4	dew point	≤-40°C	Atmospher ic dew
5	rated power	0.1KW	oxygen
6	air oxygen ratio	15: 1	15m ³ air

Jiangsu Minsheng Heavy Industry Co.,Ltd

Add: No.99,Fuyang rda,Jingjiang City, Jiangsu Province. Post code:214500
Whatsapp/Wechat/Tel: 0086-18936812998 Email:msgascylinder@gmail.com

PSA Oxygen generator 30Nm³/h with 90-93% purity

Attn:

Terms of payment: 50% deposit by TT with order, 50% balance before shipping

Delivery time: 20days after deposit received

SN	Item Name	Model Number	Quantity
1. Air Purification System	air compressor	45KW	1 Set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
	5-Grade Filters(C/T/A/D/D) Residual Oil Content: <0.001 ppm Dust Particles: <0.01 micrometers	XF9/7/5/3/1-36	5 Sets
	Refrigerated Dryer	HB0080	1set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
2. PSA Oxygen Generating System	PSA Oxygen Generator O2 Purity: 93%±3% O2 Flow:30Nm ³ /h Discharge Pressure: 5 bar	HBFO93-30	1 Set
	O2 Tank Design pressure: 8 bar	0.8Mpa	1 Set
3. Oxygen booster	dust filter	HF36	1 set
	O2 booster oxygen pressure from 5bar to 150bar	30/5-150	1set
	O2 filling and discharging	HB	1set
4.Container	1 Set		
Total			

Brief Description of the System

Serial No.	Name	Index	Remarks
1	flow rate of outlet oxygen	≥30Nm ³ /h	20°C .101.325kP
2	Outlet oxygen purity	93±3%	digital
3	Outlet oxygen pressure	150bar	on-line
4	dew point	≤-40°C	Atmospher ic dew
5	rated power	0.1KW	oxygen
6	air oxygen ratio	15: 1	15m3 air

Jiangsu Minsheng Heavy Industry Co.,Ltd

Add: No.99,Fuyang rda,Jingjiang City, Jiangsu Province. Post code:214500
Whatsapp/Wechat/Tel: 0086-18936812998 Email:msgascylinder@gmail.com

PSA Oxygen generator 40Nm³/h with 90-93% purity

Attn:

Terms of payment: 50% deposit by TT with order, 50% balance before shipping

Delivery time: 20days after deposit received

SN	Item Name	Model Number	Quantity
1. Air Purification System	air compressor	55KW	1 Set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
	5-Grade Filters(C/T/A/D/D) Residual Oil Content: <0.001 ppm Dust Particles: <0.01 micrometers	XF9/7/5/3/1-40	5 Sets
	Refrigerated Dryer	HB0100	1set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
2. PSA Oxygen Generating System	PSA Oxygen Generator O2 Purity: 93±3% O2 Flow:40Nm ³ /h Discharge Pressure: 5 bar	HBFO93-40	1 Set
	O2 Tank Design pressure: 8 bar	0.8Mpa	1 Set
3. Oxygen booster	dust filter	HF40	1set
	O2 booster oxygen pressure from 5bar to 150bar	40/5-150	1set
	O2 filling and discharging	HB	1set
4.Container	1 Set		
Total			

Brief Description of the System

Serial No.	Name	Index	Remarks
1	flow rate of outlet oxygen	≥40Nm ³ /h	20°C 101.325kPa
2	Outlet oxygen purity	93±3%	digital
3	Outlet oxygen pressure	150bar	on-line
4	dew point	≤-40°C	Atmospheric dew point
5	rated power	0.1KW	oxygen
6	air oxygen ratio	15: 1	15m ³ air

Jiangsu Minsheng Heavy Industry Co.,Ltd
 Add: No.99,Fuyang rda,Jingjiang City, Jiangsu Province. Post code:214500
 Whatsapp/Wechat/Tel: 0086-18936812998 Email:msgascylinder@gmail.com

PSA Oxygen generator 50Nm³/h with 90-93% purity

Attn:

Terms of payment: 50% deposit by TT with order,50% balance before shipping

Delivery time: 20days after deposit received

SN	Item Name	Model Number	Quantity
1. Air Purification System	air compressor	75KW	1 Set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
	5-Grade Filters(C/T/A/D/D) Residual Oil Content: <0.001 ppm Dust Particles: <0.01 micrometers	XF9/7/5/3/1-40	5 Sets
	Refrigerated Dryer	HB0120	1set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
2. PSA Oxygen Generating System	PSA Oxygen Generator O2 Purity: 93±3% O2 Flow:50Nm ³ /h Discharge Pressure: 5 bar	HBFO93-50	1 Set
	O2 Tank Design pressure: 8 bar	0.8Mpa	1 Set
	dust filter	HF40	1set
3. Oxygen booster	O2 booster oxygen pressure from 5bar to 150bar	50/5-150	1set
	O2 filling and discharging	HB	1set
4.Container			1 Set
Total			

Brief Description of the System

Serial No.	Name	Index	Remarks
1	flow rate of outlet oxygen	≥50Nm ³ /h	20°C,101.325kPa, On-line monitoring of glass rotor flowmeter
2	Outlet oxygen purity	93±3%	digital display of oxygen analyzer
3	Outlet oxygen pressure	150bar	on-line monitoring, pointer display of piezoeter
4	dew point	≤-40°C	Atmospheric dew point
5	rated power	0.1KW	oxygen generator 0.1KW
6	air oxygen ratio	15: 1	15m ³ air generate 1m ³ Oxygen

Jiangsu Minsheng Heavy Industry Co.,Ltd

Add: No.99,Fuyang rda,Jingjiang City, Jiangsu Province. Post code:214500

atsapp/Wechat/Tel: 0086-18936812998 Email:msgascylinder@gmail.com Website : www.msgascylinder.c

PSA Oxygen generator 80Nm³/h with 90-93% purity

Attn:

Terms of payment: 50% deposit by TT with order,50% balance before shipping

Delivery time: 20days after deposit received

SN	Item Name	Model Number	Quantity
1. Air Purification System	air compressor	110KW	1 Set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
	5-Grade Filters(C/T/A/D/D) Residual Oil Content: <0.001 ppm Dust Particles: <0.01 micrometers	XF9/7/5/3/1-48	5 Sets
	Refrigerated Dryer	HB0200	1set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
2. PSA Oxygen Generating System	PSA Oxygen Generator O2 Purity: 93±3% O2 Flow:50Nm ³ /h Discharge Pressure: 5 bar	HBFO93-80	1 Set
	O2 Tank Design pressure: 8 bar	0.8Mpa	1 Set
3. Oxygen booster	dust filter	HF40	1set
	O2 booster oxygen pressure from 5bar to 150bar	80/5-150	1set
	O2 filling and discharging	HB	1set

Brief Description of the System

Serial No.	Name	Index	Remarks
1	flow rate of outlet oxygen	≥80Nm ³ /h	20℃ 101.325kP
2	Outlet oxygen purity	93±3%	digital
3	Outlet oxygen pressure	150bar	on-line
4	dew point	≤-40℃	Atmospher ic dew
5	rated power	0.1KW	oxygen
6	air oxygen ratio	15: 1	15m3 air

Jiangsu Minsheng Heavy Industry Co.,Ltd

Add: No.99,Fuyang rda,Jingjiang City, Jiangsu Province. Post code:214500

atsapp/Wechat/Tel: 0086-18936812998 Email:msgascylinder@gmail.com Website : www.msgascylinder.com

PSA Oxygen generator 90Nm³/h with 90-93% purity

Attn:

Terms of payment: 50% deposit by TT with order,50% balance before shipping

Delivery time: 20days after deposit received

SN	Item Name	Model Number	Quantity
1. Air Purification System	air compressor	110KW	1 Set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
	5-Grade Filters(C/T/A/D/D) Residual Oil Content: <0.001 ppm Dust Particles: <0.01 micrometers	XF9/7/5/3/1-48	5 Sets
	Refrigerated Dryer	HB0200	1set
	adsorption dryer	HBHAD-20	1set
	Air buffer Tank Design pressure: 8 bar	0.8Mpa	1 Set
2. PSA Oxygen Generating System	PSA Oxygen Generator O2 Purity: 93±3% O2 Flow:50Nm ³ /h Discharge Pressure: 5 bar	HBFO93-90	1 Set
	O2 Tank Design pressure: 8 bar	0.8Mpa	1 Set
3. Oxygen booster	dust filter	HF40	1set
	O2 booster oxygen pressure from 5bar to 150bar	90/5-150	1set
	O2 filling and discharging	HB	1set

Brief Description of the System

Serial No.	Name	Index	Remarks
1	flow rate of outlet oxygen	≥90Nm ³ /h	20℃ 101.325kPa
2	Outlet oxygen purity	93±3%	digital
3	Outlet oxygen pressure	150bar	on-line
4	dew point	≤-40℃	Atmospheric dew
5	rated power	0.1KW	oxygen
6	air oxygen ratio	15: 1	15m ³ air